

# INDEX

## RUBBER CHEMISTRY AND TECHNOLOGY

### VOLUME 59, 1986

### AUTHOR INDEX\*

- ABDOU-SABET, SABET, WANG, Y. L., AND CHU, E. F., A new oil-resistant thermoplastic rubber (abstract), (1) 181
- ABELL, W. ROBERT, STUART, R. E., AND BADDORF, C. R., Melt processable rubber—a uniquely processable polymer (abstract), (1) 166
- ABRATE, SERGE, Heat generation in power transmission belts (abstract), (4) 683
- , The mechanics of short-fiber-reinforced composites: a review, (3) 384
- ADACHI, JUNICHI, see TANAKA, YASUYUKI, (1) 16
- AGGARWAL, S. L., Leonard Mullins, Charles Goodyear Medalist—1986, (3) G65
- AHAGON, ASAHIRO, Extensibility of black-filled elastomers, (2) 187
- ALLALOUF, J. W., see HEISS, X. GUENTHER (abstract), (1) 162
- AMANO, ITARU AND YANAGIHARA, TOSHIO, FEM analyses on a new hydraulically operated tire press (abstract), (1) 173
- AMINABHAVI, TEJRAJ M., see CASSIDY, PATRICK E., (5) 779
- ARAI, KOICHI AND FERRY, JOHN D., Differential dynamic shear moduli of carbon-black-filled styrene-butadiene rubber subjected to large shear strain histories, (2) 241
- , —, Temperature dependence of viscoelastic properties of carbon-black-filled rubbers, in small shearing deformations, (4) 592
- ARMAH, J. C., BIRLEY, A. W., FERNANDO, K. P., HEPBURN, C., AND TAHIR, M., Stress-relaxation measurements on rubbers in compression: equipment and methodology, (5) 765
- ARMSTRONG, J. DEAN, JR., Roll covering equipment, techniques, and current problems (abstract), (4) 689
- ASKEW, M. J., GRADISAR, I. A., HOFFMAN, M. L., BOOM, A. A., NOE, D. A., CHU, M. L., AND YASDANI-ARDAKANI, S., Stress waves in the human leg during gait and their attenuation by elastomers (abstract), (4) 683
- AZARI, A. D., see ISAYEV, A. I., (5) 868
- BADDORF, C. R., see ABELL, W. ROBERT (abstract), (1) 166
- BAN, L. L., DOYLE, M. J., AND SMITH, G. R., Morphological characterization of fatigue and ozone crack-growth in sidewall compound (abstract), (1) 176
- BARRON, E. R., Hybrid tire cords containing Kevlar aramid (abstract), (4) 676
- BASU, DIPAK KUMAR, see DATTA, RABINDRA NATH, (1) 27; (4) 525
- BEEKMAN, GEORGE F. AND HASTBACKA, MILDRED A., Magnesium oxide and magnesium hydroxide as cure modifiers in carboxylated nitrile rubber (abstract), (4) 673
- , —, Magnesium oxide and magnesium hydroxide in chlorosulfonated polyethylene for roofing membranes (abstract), (4) 673
- BERGH, JOHN, Tire curing overview (abstract), (1) 170
- BERRY, JAMES P., The future of rubber processing (abstract), (1) 166
- BERTRAND, GUY, Modern scientific methods of test for the quality of rubber chemicals (abstract), (1) 176
- BEUCKER, A. W., Roll coverings—present and future (abstract), (4) 687
- BHOMICK, ANIL K., see DEURI, A. SAHA (abstract), (1) 183
- BIRLEY, A. W., see ARMAH, J. C., (5) 765
- BjÖRK, FOLKE, see STENBERG, BENGT, (1) 70

\* Prepared by Lois W. Brock.

# INDEX

## RUBBER CHEMISTRY AND TECHNOLOGY

### VOLUME 59, 1986

### AUTHOR INDEX\*

- ABDOU-SABET, SABET, WANG, Y. L., AND CHU, E. F., A new oil-resistant thermoplastic rubber (abstract), (1) 181
- ABELL, W. ROBERT, STUART, R. E., AND BADDORF, C. R., Melt processable rubber—a uniquely processable polymer (abstract), (1) 166
- ABRATE, SERGE, Heat generation in power transmission belts (abstract), (4) 683
- , The mechanics of short-fiber-reinforced composites: a review, (3) 384
- ADACHI, JUNICHI, see TANAKA, YASUYUKI, (1) 16
- AGGARWAL, S. L., Leonard Mullins, Charles Goodyear Medalist—1986, (3) G65
- AHAGON, ASAHIRO, Extensibility of black-filled elastomers, (2) 187
- ALLALOUF, J. W., see HEISS, X. GUENTHER (abstract), (1) 162
- AMANO, ITARU AND YANAGIHARA, TOSHIO, FEM analyses on a new hydraulically operated tire press (abstract), (1) 173
- AMINABHAVI, TEJRAJ M., see CASSIDY, PATRICK E., (5) 779
- ARAI, KOICHI AND FERRY, JOHN D., Differential dynamic shear moduli of carbon-black-filled styrene-butadiene rubber subjected to large shear strain histories, (2) 241
- , —, Temperature dependence of viscoelastic properties of carbon-black-filled rubbers, in small shearing deformations, (4) 592
- ARMAH, J. C., BIRLEY, A. W., FERNANDO, K. P., HEPBURN, C., AND TAHIR, M., Stress-relaxation measurements on rubbers in compression: equipment and methodology, (5) 765
- ARMSTRONG, J. DEAN, JR., Roll covering equipment, techniques, and current problems (abstract), (4) 689
- ASKEW, M. J., GRADISAR, I. A., HOFFMAN, M. L., BOOM, A. A., NOE, D. A., CHU, M. L., AND YASDANI-ARDAKANI, S., Stress waves in the human leg during gait and their attenuation by elastomers (abstract), (4) 683
- AZARI, A. D., see ISAYEV, A. I., (5) 868
- BADDORF, C. R., see ABELL, W. ROBERT (abstract), (1) 166
- BAN, L. L., DOYLE, M. J., AND SMITH, G. R., Morphological characterization of fatigue and ozone crack-growth in sidewall compound (abstract), (1) 176
- BARRON, E. R., Hybrid tire cords containing Kevlar aramid (abstract), (4) 676
- BASU, DIPAK KUMAR, see DATTA, RABINDRA NATH, (1) 27; (4) 525
- BEEKMAN, GEORGE F. AND HASTBACKA, MILDRED A., Magnesium oxide and magnesium hydroxide as cure modifiers in carboxylated nitrile rubber (abstract), (4) 673
- , —, Magnesium oxide and magnesium hydroxide in chlorosulfonated polyethylene for roofing membranes (abstract), (4) 673
- BERGH, JOHN, Tire curing overview (abstract), (1) 170
- BERRY, JAMES P., The future of rubber processing (abstract), (1) 166
- BERTRAND, GUY, Modern scientific methods of test for the quality of rubber chemicals (abstract), (1) 176
- BEUCKER, A. W., Roll coverings—present and future (abstract), (4) 687
- BHOMICK, ANIL K., see DEURI, A. SAHA (abstract), (1) 183
- BIRLEY, A. W., see ARMAH, J. C., (5) 765
- BjÖRK, FOLKE, see STENBERG, BENGT, (1) 70

\* Prepared by Lois W. Brock.

- BLACK, L. T., SWANSON, C. L., AND HAMMERSTRAND, G. E., Effects of storage on the molecular weight of rubber contained in guayule, (1) 123
- BLEY, J. W. F., see SCHWARZ, H. F. (abstract), (1) 182
- BLUESTEIN, A. C., A profile of the wire and cable industry (abstract), (4) 676
- BOMO, F., MORAWSKI, J. C., LAMY, P., AND LE THIESSE, J. C., Quantitative determination of the morphology of precipitated silicas (abstract), (1) 177
- BOOM, A. A., see ASKEW, M. J. (abstract), (4) 683
- BOOM, MICHAEL J., TBM production information control system (abstract), (4) 686
- BOURGOIS, LUC, Testing concepts for steel cord breaking load (abstract), (1) 184
- BOUVIER, J. M. AND GELUS, M., Diffusion of heavy oil in a swelling elastomer, (2) 233
- BOYDEN, D. T., see SRIVIDAS, N. N. (abstract), (4) 678
- BOYLE, FREDERICK P., PETEK, N. K., THOMAS, G. M., AND SHTARKMAN, E. M., Hydraulic surge and noise attenuator using particulate rubber as the damping medium (abstract), (1) 160
- BRANTLEY, H. L. AND DAY, GARY, Improved tire performance with solution-SBR-type polymers (abstract), (4) 676
- BRODSKY, GREGORY I., Fatigue life and dynamic adhesion of belting compounds (abstract), (1) 169
- BROWN, MORTON AND VAIDYA, UPEN I., New approaches to low-hazard cable constructions (abstract), (4) 677
- BROWN, R. P. AND WAIN, B. J., Developments of test methods for national artificial sports surface specifications (abstract), (4) 684
- , see KARAS, G. CHRISTOPHER (abstract), (4) 680
- BROWN, WILLIAM A. AND PATEL, ARVIND C., The characterization of carbon black (abstract), (1) 178
- BRUSSET, H., see MASSOT, C. (abstract), (4) 683
- BRZOSKOWSKI, RYSZARD, WHITE, JAMES L., WEISERT, FREDERICK C., NAKAJIMA, NOBUYUKI, AND MIN, KYONSUKU, Experimental study of the flow characteristics of rubber compounds in extruder screws, (4) 634
- BUFFLER, CHARLES R., see KRIEGER, BERNARD (abstract), (1) 165
- BYERS, JOHN T., New vulcanizing agent for tire compounds (abstract), (1) 170
- CAPELLE, GERD AND HUNZIKER, PETER F., Newest development and technology in multiplex extrusion systems (abstract), (1) 182
- CAPPS, RODGER N., Effect of cure systems and reinforcing fillers on dynamic mechanical properties of chlorobutyl elastomers for potential vibration-control applications, (1) 103
- CAPRIOTTI, DANTE, see HALLADAY, J. R. (abstract), (4) 671
- CAREW, RONALD, PERRIN, ED, DEISLER, DICK, AND GOLDBERG, GENE, New transparent and low tensile-set biocompatible thermoplastic elastomers based on polysiloxane-modified block copolymers (abstract), (4) 672
- CARTASEGNA, S., Silane-grafted moisture-curable ethylene-propylene elastomers for the cable industry, (5) 722
- CASSIDY, PATRICK E. AND AMINABHAVI, TEJRAJ M., Water permeation through elastomer laminates, II. SBR/EPDM, (5) 779
- CHABINSKY, IRVING J., Tire curing—microwave preheating and alternatives—past, present, and future (abstract), (1) 172
- CHASE, TOM G., Compounding for the roller industry—offset printing rollers (abstract), (4) 688
- CHEATHAM, JOSEPH F., Roll cover design considerations for polyurethanes (abstract), (4) 688
- CHEN, AUGUSTIN T., NELB, ROBERT G., II, AND ONDER, KEMEL, New high-temperature thermoplastic elastomers, (4) 615
- CHEN, WEN-JIA, see YAU, DONGCHEN (abstract), (1) 167
- CHRISTIE, GEORGE, see TOUB, MELVIN R. (abstract), (1) 170
- CHU, E. F., see ABDOU-SABET, SABET (abstract), (1) 181

- CHU, M. L., see ASKEW, M. J. (abstract), (4) 683
- COOPER, S. L., see SPECKHARD, T. A. (review), (3) 405
- DANNENBERG, E. M., Bound rubber and carbon black reinforcement (review), (3) 512
- , Carbon black treadwear ratings from laboratory tests (review), (3) 497
- DAS, PRASANTA KUMAR, see DATTA, RABINDRA NATH, (4) 525
- DATTA, RABINDRA NATH AND BASU, DIPAK KUMAR, Effect of zinc dithiocarbamates on NR vulcanization accelerated by thiocarbamyl sulfenamides and dibenzothiazyl disulfide, (1) 27
- , —, AND DAS, PRASANTA KUMAR, Effect of cyclohexyl thiophthalimide on NR vulcanization accelerated by thiocarbamyl sulfenamide-dibenzothiazyl disulfide systems, (4) 525
- DAVIS, J. S., see MUTHUKRISHNAN, M. (abstract), (1) 169
- DAY, GARY AND FUTAMARA, SHINGO, A comparison of styrene and vinyl butadiene in tire tread polymers (abstract), (4) 675
- , see BRANTLEY, H. L. (abstract), (4) 676
- DEAN, PAUL R. II AND KUCZKOWSKI, JOSEPH A., Enhanced polymer oxidation resistance through the use of secondary antioxidants, (5) 842
- DEISLER, DICK, see CAREW, RONALD (abstract), (4) 672
- DEL VECCHIO, R. J., see HALLADAY, J. R. (abstract), (4) 671
- DE MEERSMAN, C., PETERS, H. C. J., AND DEVIS, B. The Dynalizer: a new dimension in materials testing technology (abstract), (1) 179
- DEURI, A. SAHA AND BHOWMICK, ANIL K., Aging of rocket insulator compounds based on EPDM (abstract), (1) 185
- DEVIS, B., see DE MEERSMAN, C. (abstract), (1) 179
- DEVLIN, EDWARD F., The effect of cure variables on *cis/trans* isomerization in carbon-black-reinforced *cis*-1,4-polybutadiene, (4) 666
- DIEM, H. E., see LATTIMER, ROBERT P., (2) 263
- DONOVAN, J. A., see LEE, R. F., (5) 787
- DOYLE, M. J., see BAN, L. L. (abstract), (1) 176
- DRYDEN, DAVID M., ZEYEN, RICHARD L., III, AND KROCK, DAVID A., Software for laboratory chemical and physical testing: Does it do what we need? (abstract), (4) 689
- DUCH, JUAN, see TEDESKO, PETER (abstract), (1) 185
- DUFFY, JAMES J. AND ILARDO, CHARLES S., Effective smoke reduction for wire and cable insulation containing halogenated additives (abstract), (4) 677
- ELEFTHERAKIS, JOHN G., Hydraulic fluid/elastomer compatibility as estimated by solubility parameters (abstract), (4) 673
- EMBLETON, WILLIAM T., see KRAUSE, JOHN (abstract), (4) 685
- FERNANDO, K. P., see ARMAH, J. C., (5) 765
- FERRY, JOHN D., see ARAI, KOICHI, (2) 241; (4) 592
- FIELDING-RUSSELL, G. S., see PILLAI, P. S., (1) 155
- FLINK, PERI, see STENBERG, BENGT, (1) 70
- FOSTER, J. N., see FRADKIN, D. G., (2) 255
- FOX, D. M., see SCHMIDT, R. C. (abstract), (4) 681
- FRADKIN, D. G., FOSTER, J. N., SPERLING, L. H., AND THOMAS, D. A., A quantitative determination of the damping behavior of acrylic-based interpenetrating polymer networks, (2) 255
- FROELICH, D., MULLER, R. AND ZANG, Y. H., New extensional rheometer for elongational viscosity and birefringence measurements: Experimental results and interpretations, (4) 564
- FU, B., MACKNIGHT, W. J., AND SCHNEIDER, N. S., Structure-property relationships of segmented polyurethanes containing monodisperse 2,4-toluene diisocyanate/butanediol hard segments, (5) 896

- FUNT, JOHN M., Dynamic properties and compound performance (abstract), (1) 178  
FUTAMARA, SHINGO, see DAY, GARY (abstract), (4) 675
- GALE, G. M., see HINDMARCH, R. S. (abstract), (1) 166  
GEDEON, BARBARA J. AND NGUYEN, R. H., Computerization of ASTM D 3677—Rubber identification by infrared spectrophotometry (abstract), (1) 175  
GELUS, M., see BOUVIER, J. M., (2) 233  
GENT, A. N. AND PARK, BYOUNGKYE, Compression of rubber layers bonded between two parallel rigid cylinders or between two rigid spheres, (1) 77  
GIANELOS, J., see LATTIMER, ROBERT P., (2) 263  
GORITZ, D. AND KISS, M., On the origin of strain-induced crystallization, (1) 40  
GOETTFERT, AXEL, Rotorless curemeter techniques—introducing the elastograph (abstract), (4) 682  
GOLDBERG, GENE, see CAREW, RONALD (abstract), (4) 672  
GRADISAR, I. A., see ASKEW, M. J. (abstract), (4) 683  
GRAF, HANS-JOACHIM, High quality articles in injection molding by means of process and mold design (abstract), (1) 162  
—, AND RICCI, R. L., Optimization of equipment and materials for molding soles of athletic and performance shoes (abstract), (4) 684  
GRAHAM, JAMES W., Elastomers in recreation—case histories where and why (abstract), (4) 685  
GREEN, DOUGLAS H. AND SZWARC, JOHN J., OSHA compliance—the need for a working relationship between supplier and customer in the rubber industry (abstract), (4) 680  
GREGG, E. C., see KOMOROSKI, R. A., (2) 328  
GRIFFITH, R. M., see TANG, S. H., (5) 826  
GRINBERG, SARINA AND SHAUBI, ELEANORA, A simple and rapid method for determination of guayule rubber, (2) 204
- HALLADAY, J. R., DEL VECCHIO, R. J., AND CAPRIOTTI, DANTE, Dynamic property comparisons in fluorocarbon elastomers (abstract), (4) 671  
HAMBLIN, N., see WRIGHT, MARK A. (abstract), (1) 163  
HAMED, G. R. AND OGBIMI, F., Butyl networks containing unattached polyisobutylene chains: Part II, Correlation of tear, tensile, and hysteretic properties, (2) 347  
—, AND SHIEH, C. -H., Relationship between the cohesive strength and tack of elastomers: Part III, Various elastomer types, (5) 883  
HAMMERSTRAND, G. E., see BLACK, L. T., (1) 123  
HANAY, JOE C. AND KEMPER, DENNIS C., An overview of modern extrusion technology (abstract), (1) 162  
HARM, WALTER, Your product is alleged to be defective: Now defend it (abstract), (4) 691  
HARRELL, E. R., see NAKAJIMA, N., (2) 305  
HARRIS, J. AND STEVENSON, A., On the role of nonlinearity in the dynamic behavior of rubber components, (5) 740  
HARRIS, R. E., see LATTIMER, ROBERT P. (abstract), (4) 671  
HASHIMOTO, KINRO, TODANI, Y., OYAMA, M., AND WATANABE, N., Highly saturated nitrile elastomers—automotive applications (abstract), (1) 161  
—, see KUBO, YOICHIRO (abstract), (4) 675  
HASTBACKA, MILDRED A., see BECKMAN, GEORGE F. (abstract), (4) 673  
HAUSMAN, J. M., see TEDESKO, PETER (abstract), (1) 185  
HAWKINS, P., see KARAS, G. CHRISTOPHER (abstract), (4) 680  
HAYES, ROBERT A., A new look at measurements of network density, (1) 138  
HEARLE, W. S., see LOMAN, B. (abstract), (4) 686  
HEISS, K. GUENTHER, ALLALOUF, J. W., AND SCHMID, H. MARTIN, Technological benefits through process control (abstract), (1) 162  
HELT, WILLIAM F., III, see WALKER, LLOYD A., (2) 285  
HEPBURN, C., see ARMAH, J. C., (5) 765  
HERZLICH, HAROLD J., Product liability for the tire manufacturer (abstract), (4) 690

- HEWITT, NORMAN L., The relative influence of silica and elastomer content on compound properties (abstract), (4) 675
- HINDMARCH, K. S. AND GALE, G. M., Silane moisture-curing: a one-shot extrusion process using the cavity transfer mixer (abstract), (1) 166
- HOFFMAN, M. L., see ASKEW, M. J. (abstract), (4) 683
- HOLOWNIA, B. P. AND ROWLAND, A. C., Measurement of dynamic bulk modulus and phase angle using ESPI, (2) 223
- HUDSON, M. L., CAD/CAM—Product design and manufacturing (abstract), (1) 177
- HULL, DENNIS E., KOJIMA, G., AND WACHI, H., New type of fluoroelastomer (tetrafluoroethylene-propylene copolymer) provide improved resistance to some automotive media (abstract), (1) 163
- , Tetrafluoroethylene-propylene copolymers—a new wire and cable insulation/jacketing elastomer (abstract), (4) 678
- HUNZIKER, PETER F., see CAPELLE, GERD (abstract), (1) 182
- HUTCHINSON, WILLIAM E., Mother Nature can fool you—a story of three SMR sources (abstract), (1) 180
- ILARDO, CHARLES S., see DUFFY, JAMES J. (abstract), (4) 677
- ISAYEV, A. I. AND AZARI, A. D., Viscoelastic effect in compression molding of elastomers: shear-free squeezing flow, (5) 868
- AND KOCHAR, L. S., Properties of rubber vulcanized under high pressure (abstract), (1) 168
- ISHIKAWA, YASUHIRO AND KAWAKAMI, SHINJI, Effects of salt corrosion on the adhesion of brass-plated steel cord to rubber, (1) 1
- JAHDIN, DATO' AHMAD SABKI BIN, Natural rubber marketing trends (abstract), (1) 171
- JOHNSON-PLAUMANN, M. E. AND PLAUMANN, H. E., Analysis of EPM elastomers by infrared and NMR methods, (4) 580
- JURADO, C. W. AND MAYHAN, K. G., Natural higher fatty acid soaps in natural rubber latex concentrate and correlations to other latex variables, (1) 84
- KADUNCE, R. J., Clues to failure mechanisms (abstract), (4) 690
- KAISER, EDWARD, Rubber chemicals—alive and hopefully well through 2000 A.D. (abstract), (1) 175
- KANNABIRAN, R., Application of flow behavior in design of rubber extrusion dies, (1) 142
- KARAS, G. CHRISTOPHER, BROWN, R. P., AND HAWKINS, P., European perspective of recreational uses of elastomers (abstract), (4) 680
- KATO, E., see SHIGA, S., (5) 693
- KAWAHARA, RYO, Hydraulic curing press with sequence timer (abstract), (1) 172
- KAWAHARA, YOSHIO, Sealing mechanism of oil seals for reciprocating motion and its practical application (abstract), (4) 674
- KAWAKAMI, SHINJI, see ISHIKAWA, YASUHIRO, (1) 1
- KELLER, ROBERT W., Effect of lubricants on oil-resistant elastomers (abstract), (4) 676
- KEMPER, DENNIS C., see HANEY, JOE C. (abstract), (1) 162
- KILLGOAR, P. C., JR., see MAZICHI, K. A., (4) 623
- KIM, D. K., see PRAKASH, A. (abstract), (1) 183
- KISS, M., see GÖRITZ, D., (1) 40
- KLIEVER, BRUCE AND LEYDEN, JERRY, The use of independent laboratories in complying with the Hazards Communication Act (abstract), (4) 680
- KLINGSMITH, WILLIAM H., SAMPLES, R., AND MAISTROS, T., A rubber ingredient survey (abstract), (1) 168
- KOCHAR, L. S., see ISAYEV, A. I. (abstract), (1) 168
- KOENIG, J. L., see ZAPER, A. MARIE (abstract), (1) 179
- KOJIMA, G., see HULL, DENNIS E. (abstract), (1) 163
- KOMOROSKI, R. A., SHOCKOR, J. P., GREGG, E. C., AND SAVOCA, J. L., Characterization of elastomers and rubber chemicals by modern NMR techniques, (2) 328

- KONG, DANCHENG AND WHITE, JAMES L., Inflation characteristics of unvulcanized gum and compounded rubber sheets, (2) 315
- KOSTER, LOTHAR, MC process control of tyre curing presses (abstract), (1) 173
- KRAMER, WILLIAM A., Comparison of heat transfer capabilities of jacketed barrels vs. cast aluminum heater/coolers for extruders (abstract), (1) 182
- KRAUSE, JOHN AND EMBLETON, WILLIAM T., Computer integrated manufacturing: a name or a reality? (abstract), (4) 685
- KRIEGER, BERNARD AND BUFFLER, CHARLES R., New curing technology enhances rubber processing (abstract), (1) 165
- KROCK, DAVID A., see DRYDEN, DAVID M. (abstract), (4) 689
- KUBO, YOICHIRO, WATANABE, NOBORU, AND HASHIMOTO, KINRO, Structure and properties of highly saturated nitrile elastomer (abstract), (4) 675
- KUCZKOWSKI, JOSEPH A., see DEAN, PAUL R. II, (5) 842
- LAMY, P., see BOMO, F. (abstract), (1) 177
- LATTIMER, ROBERT P., GIANELOS, J., DIEM, H. E., LAYER, R. W., AND RHEE, C. K., Mechanisms of antiozonant protection: unextractable nitrogen in aged *cis*-polybutadiene vulcanizates, (2) 263
- , HARRIS, R. E., RHEE, C. K., AND SCHULTEN, H. R., Identification of organic additives in rubber vulcanizates by using mass spectrometry (abstract), (4) 671
- , PAUSCH, J. B., MCCLENNEN, W. E., RICHARDS, J. M., AND MEUZELAAR, H. L. C., Direct characterization of solid rubber samples by laser pyrolysis mass spectrometry (Py-MS) (abstract), (1) 178
- LAWSON, DAVID F., Recent developments in the flammability of elastomeric materials (review), (3) 455
- LAYER, ROBERT W., Curing SBR with thiocarbonyl sulfenamide accelerators, (2) 274
- , see LATTIMER, ROBERT P., (2) 263
- LEE, DAVID D. AND LOESCH, RICHARD W., Nylon/aramid hybrid cord in earthmover applications (abstract), (4) 676
- LEE, R. F. AND DONOVAN, J. A., *f*-integral and crack opening displacement as crack initiation criteria in rubber, (5) 787
- LEICHT, EDWARD AND SATTELMAYER, RICHARD, Phenolic resins for rubber reinforcement (abstract), (4) 678
- LE THIESSE, J. C., see BOMO, F. (abstract), (1) 177
- LEYDEN, JERRY J., Rubber products failures—burdens on the defense (abstract), (4) 691
- , see KLIEVER, BRUCHE (abstract), (4) 680
- LOESCH, RICHARD W., see LEE, DAVID D. (abstract), (4) 676
- LOMAS, B. AND HEARLE, W. S., Failure of fibers used in rubber products (abstract), (4) 686
- LUCAS, JOHN, Microprocessor control based on weight data (abstract), (4) 686
- MACKNIGHT, W. J., see FU, B., (5) 896
- MACLAUGHLIN, W. SCOTT, Fluoroelastomer developments to meet demanding automotive requirements (abstract), (1) 164
- MAGLIOCHETTI, J., see SLOAN, JAMES M., (5) 800
- MAIRE, URS, Recent experiences with pneumatic conveying of carbon black (abstract), (1) 167
- MAISEL, J. WILLIAM AND SEELY, W. E., Precipitated silica and silane coupling agents for improved tire performance (abstract), (4) 679
- MAISTROS, T., see KLINGENSMITH, WILLIAM H. (abstract), (1) 168
- MAO, T. J., Automotive elastomers—applications and challenges (abstract), (1) 160
- MARTIN, JON W., Evaluation of semireinforcing carbon black from coal (abstract), (1) 167
- MASSOT, C., BRUSSET, H., AND ROCHEROLLES-DESLIGNIERES, G., Mechanical damping and acoustical dynamic properties of various rubbers (abstract), (4) 683
- MAY, DODD, Structural changes in elastomer markets from an economic standpoint (abstract), (1) 177
- MAYHAN, K. G., see JURADO, C. W., (1) 84



- MAZICHI, K. A., SAMUS, M. A., KILLGOAR, P. C., JR., AND PLUMMER, H. K., JR., Dynamic mechanical thermal analysis and transmission electron microscopy of elastomer blends, (4) 623
- MCCLENNEN, W. H., see LATTIMER, ROBERT P. (abstract), (1) 178
- MCCRACKEN, W. J., see SCHMIDT, R. C. (abstract), (4) 681
- McKENNA, GREGORY B. AND ZAPAS, LOUIS J., On the small strain behavior of peroxide crosslinked natural rubber, (1) 130
- MCNEISH, ALAN A., Carbon black prospects in rubber products (abstract), (1) 175
- MEDALIA, AVROM I., Electrical conduction in carbon black composites (review), (3) 432
- MEDRI, GIANLUCA AND STROZZI, ANTONIO, Stress-strain field in compressed elastomeric seals and their extension to fracture mechanics, (5) 709
- MEGNA, I. SALVATORE, Polyurethanes for roll covering (abstract), (4) 688
- MEINECKE, E. A., see YAU, DONGCHEN (abstract), (1) 167
- MELOTTO, MICHAEL A., Instrumentation for the microprocessor control of mixing (abstract), (4) 686
- , Rotor design and mixing efficiency (abstract), (1) 161
- MEUZELAAR, H. L. C., see LATTIMER, ROBERT P. (abstract), (1) 178
- MILANI, F., see PIZZO, ANDREA (abstract), (1) 164
- MILLER, ROBERT, GT—applications in the rubber industry (abstract), (4) 682
- , GT—a beginners primer (abstract), (4) 682
- MIN, KYONSUKU, see BRZOSKOWSKI, RYSZARD, (4) 634
- MIRZA, J. AND THOERMER, J., Therban—a special elastomer for requirements in oil field, automotive, and industrial applications (abstract), (1) 181
- MISEVICH, KENNETH W., Elastomeric properties needed in various athletic equipment (abstract), (4) 681
- MİYABAYASHI, TOSHIO, see ZEN, SHINICHIRO (abstract), (4) 672
- MOHAMMED, S. A. H. AND WALKER, J., Application of electron beam radiation technology in tire manufacturing (review), (3) 482
- MOODY, DALE R., Print-free printing rolls (abstract), (4) 687
- MORAWSKI, J. C., see BOMO, F. (abstract), (1) 177
- MULLER, R., see FROELICH, D., (4) 564
- MULLER, E., Tyre requirements from the car manufacturer's point of view (abstract), (1) 184
- MULLINS, LEONARD, Engineering with rubber, (3) G69
- MURAKAMI, KENKICHI, see SUH, KYUNG-DO, (4) 541
- MUTHUKRISHNAN, M. AND DAVIS, J. S., Suspension bushing dynamics—correlation studies (abstract), (1) 169
- MUZYZKO, TED, Elastomer roll coverings: past, present, and future (abstract), (4) 688
- NAKAJIMA, NOBUYUKI AND HARRELL, E. R., Test of strain-time correspondence principle with gel-containing elastomers, (2) 305
- , see BRZOSKOWSKI, RYSZARD, (4) 634
- NAKAMURA, KENYA, Sealing mechanism of rotary shaft lip-type seals (abstract), (4) 674
- NELB, ROBERT G., II, see CHEN, AUGUSTIN T., (4) 615
- NEPPEL, A., Prediction of equilibrium swelling in fuel and lubricant ingredients, (1) 46
- NGUYEN, R. H., see GEDEON, BARBARA J. (abstract), (1) 175
- NOE, D. A., see ASKEW, M. J. (abstract), (4) 683
- O'CONNOR, GARY E., Thermoplastic elastomers—opportunity or threat (abstract), (1) 172
- OGBIMI, F., see HAMED, G. R., (2) 347
- ODGEN, R. W., Recent advances in the phenomenological theory of rubber elasticity (review), (3) 361
- OKAWA, HIDETOSHI, see SUH, KYUNG-DO, (4) 541
- ONDER, KEMEL, see CHEN, AUGUSTIN T., (4) 615
- OTAMA, M., see HASHIMOTO, KINRO (abstract), (1) 161



- PARK, BYOUNGKYEU, see GENT, A. N., (1) 77
- PATEL, ARVIND C., see BROWN, WILLIAM A. (abstract), (1) 178
- PAUSCH, J. B., see LATTIMER, ROBERT P. (abstract), (1) 178
- PEAKE, M. V., A cooling study of EPDM slab stock (abstract), (1) 165
- PERRIN, ED, see CAREW, RONALD (abstract), (4) 672
- PETER, N. K., see BOYLE, FREDERICK P. (abstract), (1) 160
- PETERS, H. C. J., see DE MEERSMAN, C. (abstract), (1) 179
- PETERSON, DUANE E., see ROSE, JERRY C. (abstract), (4) 683
- PETERSON, LARS-OLOF, see STENBERG, BENGT, (1) 70
- PILLAI, P. S. AND FIELDING-RUSSELL, G. S., Empirical equations for tire footprint areas, (1) 155
- PIZZO, ANDREA AND MILANI, F., Ethylene-propylene elastomers in the production of composite seals for the automotive industry (abstract), (1) 164
- PLAUMANN, H. E., see JOHNSON-PLAUMANN, M. E., (4) 580
- PLUMMER, H. K., JR., see MAZICHI, K. A., (4) 623
- PRAKASH, A., SHEMENSKY, R. M., AND KIM, D. K., Life prediction of steel tire cords (abstract), (1) 183
- PRAKASH, D., see SRIVIDAS, N. N. (abstract), (4) 678
- RADER, CHARLES P., see RAJA, THOMAS M. (abstract), (4) 682; see WRIGHT, MARK A. (abstract), (1) 163
- RAJA, THOMAS M., RADER, CHARLES P., AND RICHWINE, JOHN R., Blow molding of thermoplastic rubbers—a new and unusual opportunity (abstract), (4) 682
- RAJES, DONALD N., Important factors in mold design for compression, transfer, and injection molding for rubbers (abstract), (1) 165
- RAPETSKI, WALTER, Rubber processing equipment trends (abstract), (1) 174
- RATLIFF, O. D., The use of differential scanning calorimeter to determine the state of cure of rubber (abstract), (4) 689
- REED, THOMAS F., see THOMAS, G. B. (abstract), (4) 681
- RHEE, C. K., see LATTIMER, ROBERT P., (2) 263; (abstract), (4) 671
- RICCI, R. L., see GRAF, HANS-JOACHIM (abstract), (4) 684
- RICHARDS, J. M., see LATTIMER, ROBERT P. (abstract), (1) 178
- RICHWINE, JOHN R., see RAJA, THOMAS M. (abstract), (4) 682
- ROCHEROLLES-DESIGNIERES, G., see MASSOT, C. (abstract), (4) 683
- ROHN, CHARLES L. AND STARITA, JOSEPH M., The use of dynamic rheological measurements for real time on-line and off-line quality control (abstract), (1) 177
- , see STARITA, JOSEPH M. (abstract), (4) 674
- ROSE, JERRY C. AND PETERSON, DUANE E., Flame tests of wire insulated with ethylene-propylene thermoplastic vulcanizates (abstract), (4) 683
- ROWLAND, A. C., see HOLOWNIA, B. P., (2) 223
- SAAKE, MARK J., see SEZNA, JOHN A. (abstract), (1) 161
- SAMPLES, R., see KLINGENSMITH, WILLIAM H. (abstract), (1) 168
- SAMUS, M. A., see MAZICHI, K. A., (4) 623
- SANTORO, G., Diaphragms for booster molded by injection compression technique (abstract), (1) 169
- SARVER, K. F., CAD/CAE—a look at tire design/engineering (abstract), (1) 176
- SATO, HISAYA, see TANAKA, YASUYUKI, (1) 16
- SATO, Y., see SHIGA, S., (4) 551
- SATTELMAYER, RICHARD, see LEICHT, ERHARD (abstract), (4) 678
- SAVAGE, R. L., see YAU, DONGCHEN (abstract), (1) 167
- SAVOCA, J. L., see KOMOROSKI, R. A., (2) 328
- SCHMID, H. MARTIN, see HEISS, K. GUENTHER (abstract), (1) 162
- SCHMIDT, R. C., MCCracken, W. J., AND FOX, D. M., Properties and performance characteristics of nitrile/PVC foams in recreational applications (abstract), (4) 681
- SCHNEIDER, N. S., see FU, B., (5) 896
- SCHULTEN, H. R., see LATTIMER, ROBERT P. (abstract), (4) 671

- SCHWARZ, H. F., The utility of nitrile rubber (NBR) in the roll covering industry (abstract), (4) 687
- , AND BLEY, J. W. F., Design of alloys of PVC with NBR copolymers to produce thermoplastic elastomers (abstract), (1) 182
- SEELY, W. E., see MAISEL, J. WILLIAM (abstract), (4) 679
- SEXSMITH, F. H., see WEIH, M. A. (abstract), (1) 183
- SEZNA, JOHN A. AND SAAKE, MARK J., The use of the MPT in predicting processability (abstract), (1) 161
- SHAUBI, ELEANORA, see GRINBERG, SARINA, (2) 204
- SHEMENSKY, R. M., see PRAKASH, A. (abstract), (1) 183
- SHEPLER, THOMAS W., The impact of the Hazards Communications Act on the rubber industry (abstract), (4) 680
- SHIEH, C. -H., see HAMED, G. R., (5) 893
- SHIGA, S. AND KATO, E., Characterization of polymers by GPC-LALLS. I. Computer simulation of fractionation of branched polymers by GPC, (5) 693
- , AND SATO, Y., Characterization of polymers by GPC-LALLS. II. Concentration effect of polydisperse polymers in GPC, (4) 551
- SHOCKCOR, J. P., see KOMOROSKI, R. A., (2) 328
- SHTARKMAN, E. M., see BOYLE, FREDERICK P. (abstract), (1) 160
- SHULMAN, CINDY B., Unique features of high-unsaturation EPDM polymers (abstract), (1) 180
- SIVERLING, C. E., see WEIH, M. A. (abstract), (1) 183
- SLOAN, JAMES M., MAGLIOCHETTI, J., AND ZUKAS, WALTER X., Effect of resin components on the reversion process of sulfur-vulcanized guayule rubber, (5) 800
- SMITH, G. R., see BAN, L. L. (abstract), (1) 176
- SMITH, RONALD W., The failure analyst and rubber products surfaces (abstract), (4) 691
- SOHLO, ALLEN M. AND BRULLO, R. A., New considerations in the selection of fluorocarbon elastomers for automotive seal applications (abstract), (1) 163
- SPECKHARD, T. A. AND COOPER, S. L., Ultimate tensile properties of segmented polyurethane elastomers: Factors leading to reduced properties for polyurethanes based on nonpolar soft segments (review), (3) 405
- SPEERLING, L. H., see FRADKIN, D. G., (2) 255
- SRIVIDAS, N. N., BOYDEN, D. T., AND PRAKASH, D., Use of EPR insulation in the power cable industry (abstract), (4) 678
- STARITA, JOSEPH M. AND ROHN, CHARLES L., Rheological characterization of rubber using dynamic and transient measurements (abstract), (4) 674
- , see ROHN, C. L. (abstract), (1) 177
- STENBERG, BENGT, PETERSON, LARS-ÖLOF, FLINK, PERI, AND BJÖRK, FOLKE, Effect of butyl rubber coating on accelerated aging of natural rubber, (1) 70
- STEVENSON, A., Fatigue crack growth in high load capacity rubber laminates, (2) 208
- , see HARRIS, J. (5) 740
- STEVENSON, J. F., Newtonian simulation and dimensional control of the single roller die extrusion line, (4) 651
- STOCKMAN, CHARLES H., Some factors affecting quality in continuous manufacture of rubber hose (abstract), (1) 168
- STROZZI, ANTONIO, see MEDRI, GIANLUCA, (5) 709
- STUART, R. E., see ABELL, W. ROBERT (abstract), (1) 166
- SUH, KYUNG-DO, OIKAWA, HIDETOSHI, AND MURAKAMI, KENKICHI, Chemical stress relaxation of NR networks prepared in the swollen state, (4) 541
- SWANSON, C. L., see BLACK, L. T., (1) 123
- SZWARC, JOHN J., see GREEN, DOUGLAS H. (abstract), (4) 680
- TAHIR, M., see ARMAH, J. C., (5) 765
- TAKEMURA, YASUHIKO, see ZEN, SHINICHIRO (abstract), (4) 672
- TANAKA, YASUYUKI, SATO, HISAYA, AND ADACHI, JUNICHI, Sequence distribution of commercial SBR by ozonolysis-GPC measurement, (1) 16
- TANG, S. H. AND GRIFFITH, R. M., Shape and size control of extrudates from a single roller die, (5) 826

- TATE, PHILLIP E., Cobalt adhesion promoters—past, present, and future (abstract), (4) 678
- TEDESKO, PETER, HAUSMAN, J. M., AND DUCH, JUAN, The uses of microwave energy in the curing of rubber products (abstract), (1) 185
- TESSMER, WILLIAM, Synthetic rubber—worldwide outlook and issues (abstract), (1) 171
- THOERMER, J., see MIRZA, J. (abstract), (1) 181
- THOMAS, D. A., see FRADKIN, D. G., (2) 255
- THOMAS, G. B. AND REED, THOMAS F., Use of low-permeability gases in pressurized tennis balls (abstract), (4) 681
- THOMAS, G. N., see BOYLE, FREDERICK P. (abstract), (1) 160
- TINDALL, CHARLES G., JR., The expert witness: legal and ethical considerations (abstract), (4) 690
- TODANI, Y., see HASHIMOTO, KINRO (abstract), (1) 161
- TOUB, MELVIN R. AND CHRISTIE, GEORGE, Silicone gaskets—versatility and reliability (abstract), (1) 170
- VAIDYA, UPEN I., see BROWN, MORTON (abstract), (4) 677
- VAN BLOKLAND, P. H. G. M., Visualization of textile reinforcing materials in cord-rubber composites after dissolution of the rubber with peracids, (4) 574
- VETTER, FRANK, Availability of key elastomer raw materials (abstract), (1) 174
- WACHI, H., see HULL, DENNIS E. (abstract), (1) 163
- WAIN, B. J., see BROWN, R. P. (abstract), (4) 684
- WALKER, J., see MOHAMMED, S. A. H. (review), (3) 482
- WALKER, LLOYD F., AND HELT, WILLIAM F., III, High-temperature curing of radial passenger tires, (2) 285
- WANG, Y. L., see ABDOU-SABET, SABET (abstract), (1) 181
- WATANABE, NOBORU, see HASHIMOTO, KINRO (abstract), (1) 161
- , see KUBO, YOICHIRO (abstract), (4) 675
- WEIH, M. A., SIVERLING, C. E., AND SEXSMITH, F. H., Effect of compounding ingredients on rubber-to-metal adhesion (abstract), (1) 183
- WEISSERT, FREDERICK C., see BRZOSKOWSKI, RYSZARD, (4) 634
- WHITE, GEORGE, U.S. rubber demand (abstract), (1) 171
- WHITE, JAMES L., see BRZOSKOWSKI, RYSZARD, (4) 634
- , see KONG, DANCHENG, (2) 315
- WIELAND, ROLF, Economical comparison of cryogenic blast deflashing equipment (abstract), (1) 169
- WILL, THOMAS, U.S. tire markets are maturing—What lies ahead? (abstract), (1) 173
- WRIGHT, MARK A., HAMBLIN, N., AND RADER, C. P., Thermoplastic elastomers in transportation (abstract), (1) 163
- YACKANICH, DEMETRIUS, Introduction to the Hazards Communication Standard (OSHA 1910.1200) (abstract), (4) 679
- YANAGIHARA, TOSHIO, see AMANO, ITARU (abstract), (1) 173
- YASDANI-ARDAKANI, S., see ASKEW, M. J. (abstract), (4) 683
- YAU, DONGCHEN, CHEN, WEN-JIA, SAVAGE, R. L., AND MEINECKE, E. A., Characterization of coal carbon black (abstract), (1) 167
- YOUNG, D. C., Fatigue crack propagation in elastomer compounds: Effects of strain rate, temperature, strain level, and oxidation, (5) 809
- ZANG, Y. H., see FROELICH, D., (4) 564
- ZAPAS, LOUIS J., see MCKENNA, GREGORY B., (1) 130
- ZAPER, A. MARIE AND KOENIG, J. L., Applications of solid state C-13 NMR spectroscopy to sulfur-vulcanized natural rubber (abstract), (1) 179
- ZEN, SHINICHIRO, MIYABAYASHI, TOSHIO, AND TAKEMURA, YASUHIKO, A new elastomer with improved heat-, fuel-, and alcohol-containing fuel-resistance (abstract), (4) 672
- ZEYEN, RICHARD L., III, see DRYDEN, DAVID M. (abstract), (4) 689
- ZUKAS, WALTER X., see SLOAN, JAMES M., (5) 800

## SUBJECT INDEX\*

- Abrasion, of treadwear, predicting from laboratory tests (review), (3) 497
- Acceleration, of NR, by thiocarbamyl sulfenamide-dibenzothiazyl disulfide systems with cyclohexyl thiothalamide, (4) 525
- Acoustical dynamic properties, of various elastomers (abstract), (4) 683
- Acrylic-based interpenetrating polymer networks, quantitative determination of damping, (2) 255
- Adhesion, of belting compounds, relation to fatigue life (abstract), (1) 169
- , of steel cord to rubber, cobalt promoters (abstract), (4) 678
- , —, effect of salt corrosion, (1) 1
- , rubber-to-metal, effect of compounding ingredients (abstract), (1) 183
- Aging, of NR, protection from by coating of butyl rubber (IIR), (1) 70
- , of rocket insulators based on EPDM (abstract), (1) 183
- Alloys, of PVC with NBR (abstract), (1) 182
- Antioxidants, secondary, for enhancement of polymer oxidation resistance, (5) 842
- Antiozonant protection, in *cis*-polybutadiene, (2) 263
- Aralon, aramid/nylon hybrid cord, in earthmover tires (abstract), (4) 676
- Aramid-containing tire cords, hybrid (abstract), (4) 676
- , —, for earthmover tires (abstract), (4) 676
- Athletic equipment, elastomeric properties needed (abstract), (4) 681
- Attenuation, of stress waves in human legs during gait (abstract), (4) 683
- Automotive elastomers (abstract), (1) 160
- , tetrafluoroethylene-propylene copolymer for (abstract), (1) 163
- , using highly saturated nitrile rubber (NBR) (abstract), (1) 161
- Automotive seals, fluorocarbon elastomers for (abstract), (1) 163
- Automotive uses, of ethylene-propylene elastomers (abstract), (1) 164
- , of fluoroelastomers (abstract), (1) 164
- Belting compounds, relation of fatigue life and dynamic adhesion (abstract), (1) 169
- Belts, power transmission, heat generation in (abstract), (4) 683
- Biomedical thermoplastic elastomers, from polysiloxane-modified block copolymers (abstract), (4) 672
- Birefringence, measured with extensional rheometer, (4) 564
- Blends, of natural rubber (NR), bromobutyl rubber (BIIR), and polyisobutylene (IM), analysis of, (4) 623
- Blends, of styrene-butadiene rubber (SBR) and polybutadiene (BR), (4) 592, 605
- Blow molding, of thermoplastic rubbers (abstract), (4) 682
- Book Reviews
- “Adhesion 9,” K. W. Allen, Ed., (1) G31
- “Encyclopedia of Polymer Science and Engineering,” Herman F. Mark, Norbert M. Bikales, Charles G. Overberger, Georg Menges, and Jacqueline L. Kroschwitz, Eds., (3) G63
- “Mechanics of Polymer Processing,” J. R. A. Pearson, (1) G31
- “Photochemistry and Photophysics in Polymers,” Norman S. Allen and W. Schnabel, Eds., (5) G111
- “Polymer Permeability,” John Comyn, Ed., (4) G102
- “Polyurethane Handbook,” Günter Oertel, Ed., (5) G111
- “Processing, Structure, and Properties of Block Copolymers,” M. J. Folkes, Ed., (3) G63
- “Rubber Processing and Production Organization,” Philip K. Freakley, (2) G41
- “Synthetic Rubber: A Project That Had to Succeed,” Vernon Herbert and Attilio Bisio, (4) G102
- Books received, (1) G33, (2) G41, (3) G64, (4) G103, (5) G112
- Bound rubber, relation to carbon black reinforcement (review), (3) 512
- Breaking loads, for steel cords, testing concept (abstract), (1) 184
- Bromobutyl rubber (BIIR), blends with NR and IM, (4) 623
- Butadiene-acrylonitrile copolymers (NBR), gel-containing, in test of strain-time correspondence principles, (2) 305

\* Prepared by Lois W. Brock.

- Butadiene-acrylonitrile rubber (NBR), swelling in fuels and lubricants, (1) 46
- Butadiene-styrene rubber (SBR), blends with polybutadiene (BR), (4) 592, 605
- Butyl rubber (IIR), coating on NR, effect on aging, (1) 70
- , effect of unattached polyisobutylene chains on tear, tensile, and hysteresis, (2) 347
- Cable, see also Wire
- Cable, power, insulation with ethylene-propylene rubber (EPR) (abstract), (4) 678
- , profile of the industry (abstract), (4) 676
- , silane-grafted ethylene-propylene elastomers, moisture-curable, (5) 722
- Carbon black, characterization (abstract), (1) 178
- , conveying (abstract), (1) 167
- , from coal, characterization (abstract), (1) 167
- , —, evaluation (abstract), (1) 167
- , in fluorocarbon elastomers, rheological effect (abstract), (4) 674
- , laboratory tests of treadwear rating (review), (3) 497
- , prospects in rubber products (abstract), (1) 175
- , relation of reinforcement and bound rubber (review), (3) 512
- Carbon black composites, electrical conduction (review), (3) 432
- Carbon-black-filled *cis*-polybutadiene, (4) 666
- Carbon-black-filled elastomers, dependence of viscoelastic properties on temperature, (4) 592
- , extensibility, (2) 187
- Carboxylic-acrylonitrile-butadiene rubber (XNBR), modified with magnesium oxide and magnesium hydroxide (abstract), (4) 673
- C-Flex, thermoplastic elastomer polyblend, for biomedical use (abstract), (4) 672
- Chemical Hazards, OSHA Standard for Communicating (abstract), (4) 679, 680
- Chlorobutyl elastomers (CIIR), for vibration-control systems, effect of cure system and reinforcing fillers, (1) 103
- Chlorosulfonated polyethylene, cured with low-activity magnesium oxide and magnesium hydroxide (abstract), (4) 673
- cis/trans* isomerization, in polybutadiene, effect of cure variables, (4) 666
- Coating, of butyl rubber on natural rubber, effect on aging, (1) 70
- Cobalt, for promoting adhesion of rubber to steel (abstract), (4) 678
- Cohesive strength, of elastomers, relation to tack, (5) 883
- Composites, reinforced with short fibers, mechanics of (review), (3) 384
- Compounding, for high-temperature curing of radial passenger tires, (2) 285
- , of coverings for printing rollers (abstract), (4) 688
- Compounding ingredients, effect on rubber-to-metal adhesion (abstract), (1) 183
- Compressibility test, for structure of carbon black (abstract), (1) 178
- Compression, of rubber layers bonded between opposed curved rigid surfaces, (1) 77
- Compression molding, of elastomers, shear-free squeeze flow, (5) 868
- Computer-assisted design and manufacture of rubber products (abstract), (1) 177
- Computer-assisted tire design and engineering (abstract), (1) 176
- Computer-integrated manufacturing (abstract), (4) 685
- Computer simulation, of fractionation of branched polymers, by GPC-LALLS, (5) 693
- Computerization, of infrared spectrophotometry for ASTM D 3677 (abstract), (1) 175
- Conference announcements, (1) G34, (2) G44, (3) G84, (4) G104, (5) G114
- Cooling study, of EPDM slab stock (abstract), (1) 165
- Cord-rubber composites, visualization of reinforcing materials after dissolution of rubber with peracids, (4) 574
- Crack initiation, in rubber, *J*-integral and crack opening displacement criteria, (5) 787
- Crack opening displacement, as crack initiation criterion in rubber, (5) 787
- Cracks, fatigue, effect of strain rate and level, temperature, and oxidation, (5) 809
- Crosslinked natural rubber, small-strain behavior, (1) 130
- Crystallization, strain-induced, of polybutadiene, (1) 40
- Cure, determining with differential scanning calorimeter (abstract), (4) 689

- Cure systems, for chlorobutyl (CIIR) elastomers, effect on vibration control systems, (1) 103
- Curemeter, rotorless (abstract), (4) 682
- Curing, of rubber products, with microwave energy (abstract), (1) 185
- , of tires, an overview (abstract), (1) 170
- , —, radial passenger, at high temperature, (2) 285
- Curing press, hydraulic, with sequence timer, for tires (abstract), (1) 172
- Curing technology, for enhancement of rubber processing (abstract), (1) 165
- Cyclohexyl thiophthalimide, effect on acceleration of NR vulcanization, (4) 525
- Damping behavior, of acrylic-based interpenetrating polymer networks, (2) 255
- Damping medium, for hydraulic surge and noise (abstract), (1) 160
- Damping properties, of various elastomers (abstract), (4) 683
- Deflashing equipment, cryogenic (abstract), (1) 169
- Diaphragms, for booster molded by injection compression (abstract), (1) 169
- Dibenzothiazyl disulfide, with zinc dithiocarbamates, for vulcanization of NR, (1) 27
- Die, single, shape and size control of extrudates from, (5) 826
- Differential dynamic shear modulus, of carbon-black-filled SBR with large shear strain history, (2) 241
- Differential scanning calorimeter, for determining state of cure of rubber (abstract), (4) 689
- Diffusion, of heavy oil in a swelling elastomer, (2) 233
- Dimensional control, in single roller die extrusion, (4) 651
- Distributed process control, in tire manufacturing using microcomputers (abstract), (4) 685
- Dynalizer, for characterizing rubber material mechanical properties (abstract), (1) 179
- Dynamic behavior, of elastomers, role of nonlinearity, (5) 740
- Dynamic bulk modulus, measuring with electronic speckle pattern interferometry, (2) 223
- Dynamic mechanical thermal analysis, of elastomer blends, (4) 623
- Dynamic properties, of fluorocarbon elastomers (abstract), (4) 671
- Dynamic tests, on rubber, to measure effect of compound changes (abstract), (1) 178
- Ebonite, for roll coverings (abstract), (4) 687
- Elastic-plastic balance, in elastomers, relation of silica loading (abstract), (4) 675
- Elasticity, phenomenological theory (review), (3) 361
- Elastograph, rotorless curemeter (abstract), (4) 682
- Elastomers, in artificial sports surfaces (abstract), (4) 684
- , in recreation (abstract), (4) 685
- , mechanical and acoustical properties (abstract), (4) 683
- , thermoplastic, in transportation (abstract), (1) 163
- Electrical conduction, in carbon black composites (review), (3) 432
- Electron beam radiation, in tire manufacturing (review), (3) 482
- Electronic speckle pattern interferometry, for measuring dynamic bulk modulus, (2) 223
- Engineering, with rubber, (3) G69
- Equations, for predicting tire footprint area, (1) 155
- Equilibrium swelling, in fuels and lubricants, (1) 46
- Estate rubber, comparison by statistical studies (abstract), (1) 180
- Ethylene copolymers, for cable insulation, flame-resistant (abstract), (4) 677
- Ethylene-propylene copolymers (EPM), ASTM grades, analysis by infrared and NMR, (4) 580
- Ethylene-propylene-diene rubber (EPDM), cooling of slab stock (abstract), (1) 165
- , gel-containing, in test of strain-time correspondence principle, (2) 305
- , in rocket insulators, aging (abstract), (1) 183
- , laminate with SBR, water-permeation, (5) 779
- , with high unsaturation (abstract), (1) 180
- Ethylene-propylene rubber (EPM), as wire insulation, flame tests (abstract), (4) 683
- , for automotive use (abstract), (1) 164
- in power cable insulation (abstract), (4) 678

- , silane-grafted, for cables, (5) 722
- , silane moisture cure in one-shot extrusion process (abstract), (1) 166
- Expert witnesses, legal and ethical requirements (abstract), (4) 690
- Extensibility, of black-filled elastomers, (2) 187
- Extrudates, from a single die roller, shape and size control, (5) 826
- Extruders, comparison of heat transfer capabilities (abstract), (1) 182
- Extrusion, flow characteristics of rubber compounds during, (4) 634
- , one-shot, using silane moisture cure (abstract), (1) 166
- , overview of modern technology (abstract), (1) 162
- Extrusion die, for rubber, consideration of flow behavior when designing, (1) 142
- Extrusion line, Newtonian simulation and dimensional control, (4) 651
- Extrusion systems, multiplex (abstract), (1) 182
  
- Failure analysis, based on visual comparisons under the microscope (abstract), (4) 691
- , defendant's viewpoint (abstract), (4) 691
- , defending in court (abstract), (4) 691
- Failure mechanisms, in rubber products (abstract), (4) 690, 691
- Fatigue, in sidewall compounds, morphological characterization (abstract), (1) 176
- Fatigue crack growth, in high load capacity rubber laminates, (2) 208
- Fatigue cracks, propagation, effect of strain rate and level, temperature, and oxidation, (5) 809
- Fatigue life, and adhesion of belting compounds (abstract), (1) 169
- Fibers, for rubber products, modes of failure (abstract), (4) 686
- Flame tests, of wire insulation (abstract), (4) 683
- Flammability, of elastomeric materials (review), (5) 455
- Flow behavior, consideration in design of rubber extrusion dies, (1) 142
- Flow characteristics, of rubber compounds in extruder screws, (4) 634
- Fluorocarbon elastomers, dynamic properties (abstract), (4) 671
- , for automotive seals (abstract), (1) 163
- Fluoroelastomers, for automotive use (abstract), (1) 164
- Foam rubber, from nitrile rubber/PVC, for recreational uses (abstract), (4) 681
- Footwear, sports (abstract), (4) 680
- Fractionation, of branched polymers, computer simulation, (5) 693
- Fracture mechanics, of compressed elastomeric seals, (5) 709
- Fuel-resistant elastomer (JSR FR) (abstract), (4) 672
  
- Gases, of low permeability, for pressurized tennis balls (abstract), (4) 681
- Gel-containing elastomers, test of strain-time correspondence principle with, (2) 305
- Gel permeation chromatography, with low-angle laser light scattering, for characterizing polymers, (4) 551; (5) 693
- Gordon Research Conference on Elastomers, Program, July 14–18, 1986, (2) G42
- Group technology, applications in the rubber industry (abstract), (4) 682
- , for efficient manufacturing (abstract), (4) 682
- Guayule rubber, effect of resin components on reversion of vulcanizates, (5) 800
- , effect of storage on molecular weight, (1) 123
- , rapid determination of, (2) 204
  
- Harkins, William Draper, biography, International Rubber Science Hall of Fame, 1985, (2) G45
- Heat-, and fuel-resistant elastomer (JSR-FR) (abstract), (4) 672
- Heat generation, in power transmission belts (abstract), (4) 683
- Heat-resistant rubber, with saturated hydrocarbon backbone and nitrile side groups (abstract), (1) 181
- Heat transfer, in extruders, comparisons (abstract), (1) 182
- High pressure vulcanization, of rubber (abstract), (1) 168
- High temperature thermoplastic elastomers, from polyester amides and poly(etheresteramides), (4) 615
- Hose, continuous manufacture, factors affecting quality (abstract), (1) 168



- Hydraulic fluid, compatibility with elastomers, estimation by solubility parameter (abstract), (4) 673
- Hydrodynamic lubrication, inverse theory (abstract), (4) 674
- Identification, of organic additives, by mass spectrometry (abstract), (4) 671
- Inflation characteristics, of unvulcanized gum and compounded rubber sheets, (2) 315
- Infrared analysis, of EPM elastomers, (4) 580
- Infrared spectrophotometry, computerized, for identification of elastomers (abstract), (1) 175
- Injection-compression molding, of booster diaphragms (abstract), (1) 169
- Injection molding, mold design for high quality (abstract), (1) 162
- , process and mold design for (abstract), (1) 162
- , process control (abstract), (1) 162
- Insulation, for power cable, ethylene-propylene rubber (EPM) (abstract), (4) 678
- Insulation, for wire and cable, smoke reduction with halogenated additives, (abstract), (4) 677
- International Rubber Science Hall of Fame, 1985, (2) G45
- J*-integral, criterion for crack initiation in rubber, (5) 787
- JSR-FR, heat- and alcohol-containing fuel-resistant (abstract), (4) 672
- Laminates, elastomeric, fatigue crack growth, (2) 208
- , —, permeation of water, (5) 779
- Laser pyrolysis mass spectrometry, for direct characterization of rubber samples (abstract), (1) 178
- Latex, NR, natural higher fatty acid soaps in, (1) 84
- Legal requirements, for expert witnesses (abstract), (4) 690
- Legs, human, attenuation of stress waves by elastomeric products (abstract), (4) 683
- Light scattering, low-angle laser, with GPC for characterizing polymers, (4) 551; (5) 693
- Liners, replaceable, for pin-barrel extruders (abstract), (1) 182
- Low-angle laser light scattering, with GPC, to characterize polymers, (4) 551; (5) 693
- Low cycle fatigue, in steel tire cords (abstract), (1) 183
- Lubricants, effect on oil-resistant elastomers (abstract), (4) 676
- Magnesium oxide and magnesium hydroxide, as cure modifiers in carboxylated nitrile rubber (abstract), (4) 673
- , in chlorosulfonated polyethylene for roofing (abstract), (4) 675
- Markets, for synthetic rubber (abstract), (1) 177
- Mass spectrometry, for identification of organic additives in rubber (abstract), (4) 671
- , and laser pyrolysis, for direct characterization of rubber (abstract), (1) 178
- Mechanical properties, of various elastomers (abstract), (4) 683
- Melt processable rubber (abstract), (1) 166
- Membranes, of gum and compounded elastomers, inflation characteristics, (2) 315
- Microprocessor control, of mixing (abstract), (4) 686
- Microscopy, as a tool in failure analysis (abstract), (4) 691
- , transmission electron, for analysis of elastomer blends, (4) 623
- Microwave curing, of rubber products (abstract), (1) 185
- Microwave preheating, in cure of tires (abstract), (1) 172
- Mixing, microprocessor control (abstract), (4) 686
- Mixing efficiency, and rotor design (abstract), (1) 161
- Modulus, crosslink density, and extensibility of black-filled elastomers, (2) 187
- , differential dynamic shear, of black-filled SBR with large shear strain history, (2) 241
- Moisture cure, of polyethylene and ethylene-propylene rubber (EPM), in one-shot extrusion process (abstract), (1) 166
- Mold design, for compression, transfer, and injection molding (abstract), (1) 165
- , for high quality injection molded articles (abstract), (1) 162
- Molding, of athletic shoe soles (abstract), (4) 684
- Molecular weight, of guayule rubber, effect of storage, (1) 123

- Monsanto Processability Tester, for monitoring rubber production, (1) 161
- Morphology, of precipitated silica, quantitative determination (abstract), (1) 177
- Mullins, Leonard, Charles Goodyear Medalist—1986, (3) G65
- Natural rubber (NR), blends with bromobutyl rubber (BIIR) and polyisobutylene (IM), (4) 623
- , marketing trends (abstract), (1) 171
- , peroxide crosslinked, small-strain behavior, (1) 130
- , statistical study of SMR from three estates (abstract), (1) 180
- , vulcanizate with sulfur, characterizing by C-13 nuclear magnetic resonance spectroscopy (abstract), (1) 179
- Natural rubber networks, chemical stress relaxation of, (4) 541
- Network density, two-solvent method of determining, (1) 138
- Newtonian simulation, in single-roller die extrusion, (4) 651
- Nitrile rubber (NBR), alloy with PVC (abstract), (1) 182
- , highly saturated, for automotive applications (abstract), (1) 161
- , —, structure and properties (abstract), (4) 675
- , in the roll covering industry (abstract), (4) 687
- Nitrile rubber/PVC foam, in recreational uses (abstract), (4) 681
- Nitrogen, unextractable, in ozone-aged vulcanizates, (2) 263
- Nonlinearity, role in dynamic behavior of elastomers, (5) 740
- Novolaks, for reinforcement of tire rubbers (abstract), (4) 678
- Nuclear magnetic resonance, C-13, for sulfur-vulcanized rubber (NR) (abstract), (1) 179
- Nuclear magnetic resonance analysis, of EPM elastomers, (4) 580
- , for characterization of elastomers and rubber chemicals, (2) 328'
- Oil- and heat-resistant rubber, with saturated hydrocarbon backbone and nitrile side groups (abstract), (1) 181
- Oil-resistant elastomers, effect of lubricants at elevated temperatures (abstract), (4) 676
- Oil-resistant thermoplastic elastomer (abstract), (1) 181
- Oil seals, mechanism of rotary shaft lip-type seal action (abstract), (4) 674
- , mechanism of sealing during reciprocating motion (abstract), (4) 674
- OSHA compliance, in the rubber industry (abstract), (4) 680
- OSHA Standard, for communicating chemical hazards (abstract), (4) 679, 680
- Oxidation resistance, of polymers, enhanced through secondary antioxidants, (5) 842
- Ozone-aged vulcanizates, role of unextractable nitrogen, (2) 263
- Ozone crack-growth, in sidewall compounds, morphological characterization (abstract), (1) 176
- Ozonolysis-GPC, for measuring sequence distribution in SBR, (1) 16
- Particulate rubber, as damping medium for attenuating hydraulic surge and noise (abstract), (1) 160
- Peracids, for dissolution of rubber in cord-rubber composites, (4) 574
- Permeation, of water through elastomer laminates, (5) 779
- Petrochemical industry, effect on raw materials for elastomers (abstract), (1) 174
- Phase angle measurement, using electronic speckle pattern interferometry, (2) 223
- Phenolic resins, for reinforcing rubber (abstract), (4) 678
- Phenomenological theory, of rubber elasticity (review), (3) 361
- Polyester amide, segmented thermoplastic elastomer, (4) 615
- Poly(etheresteramide), segmented thermoplastic elastomer, (4) 615
- Polybutadiene (BR), blends with SBR, (4) 592, 605
- , *cis*-1,4, effect of cure variables on isomerization, (4) 666
- , strain-induced crystallization, (1) 40
- Polyisobutylene (IM), blends with NR and BIIR, (4) 623
- , unattached chains, effect of tear, tensile, and hysteresis of butyl networks, (2) 347
- Polymers, enhanced oxidation resistance through secondary antioxidants, (5) 842
- Polysiloxane-modified block copolymers, for biomedical use (abstract), (4) 672

- Polystyrene, viscosity and birefringence, (4) 564
- Polyurethanes, based on nonpolar soft segments, tensile properties (review), (3) 405
- , for roll covering (abstract), (4) 688
- , —, design considerations (abstract), (4) 688
- , in athletic shoe soles, molding (abstract), (4) 684
- , segmented, structure-property relations, (5) 896
- Polyvinyl chloride, alloy with nitrile rubber (NBR) (abstract), (1) 182
- , —, foam in recreational use (abstract), (4) 681
- Process control, in injection molding (abstract), (1) 162
- Processability, of rubber, monitoring with the MPT (abstract), (1) 161
- Processing, of rubber, future of (abstract), (1) 166
- , —, new curing technology for enhancing (abstract), (1) 165
- Product liability, defending failure analyses (abstract), (4) 691
- , for the tire manufacturer (abstract), (4) 690
- Production information control system, for tire building machines (abstract), (4) 686
- Programmable logic controllers, for tire building machines (abstract), (4) 686
- Quality, of rubber chemicals, methods of test (abstract), (1) 176
- Quality control, of rubber products using dynamic rheological measurements (abstract), (1) 177
- Rader, Charles P., biog. sketch, (1) G2
- Radial passenger tires, high-temperature curing, (2) 285
- Raw materials, for elastomers (abstract), (1) 174
- Recreation, elastomeric products in (abstract), (4), 680, 685
- Reinforcement, of rubber with phenolic resins (abstract), (4) 678
- Reinforcing fillers, for chlorinated butyl (CHIR), effect on vibration-control systems, (1) 103
- Resins, in guayule, effect of reversion of sulfur-vulcanizates, (5) 800
- Reversion, of sulfur-vulcanized guayule, effect of resin components, (5) 800
- Rheological characterization, of carbon-black-filled rubber (abstract), (4) 674
- Rheological measurements, dynamic, for real time quality control of rubber products, (1) 177
- Rheometer, extensional, for elongational viscosity and birefringence measurements, (4) 564
- Rocket insulators, EPDM-based, aging (abstract), (1) 183
- Roll coverings, equipment, techniques, problems (abstract), (4) 689
- , for offset printing, compounding (abstract), (4) 688
- , for printing rolls, print-free (abstract), (4) 687
- , from nitrile rubber (NBR) (abstract), (4) 687
- , past and present (abstract), (4) 688
- , polyurethane, design factors (abstract), (4) 688
- , present and future (abstract), (4) 687
- Roofing membrane, chlorosulfonated polyethylene cured with low-activity magnesium oxide (abstract), (4) 673
- Rotor design, effect on mixing efficiency (abstract), (1) 161
- Rubber, as an engineering material, (3) G69
- , natural and synthetic, U.S. demand (abstract), (1) 171
- Rubber chemicals, in the future (abstract), (1) 175
- Rubber Division, ACS
- Abstracts of meeting papers, Fall 1985, (1) 160
- Abstracts of meeting papers, Spring 1986, (4) 671
- Award for Technical Excellence, (1) G30
- Best Paper Awards, (1) G16; (4) G88
- Bylaws, (1) G19
- Charles Goodyear Medalist, (3) G65; (5) G113
- Future meetings, (1) G14; (2) G36; (3) G50; (4) G86; (5) G106
- Guide for authors, (3) G55
- Information in previous issues, (1) G14; (2) G36; (3) G50; (4) G86; (5) G106
- Library and Information Services, (1) G17; (2) G38; (3) G52; (4) G99; (5) G108
- Officers, executive committee, and staff, (1) G1; (2) G35; (3) G49; (4) G85; (5) G105
- Policy on technical papers, (1) G29; (2) G40; (3) G54; (4) G101; (5) G110
- Program for 1986 Fall Meeting, (4) G89
- Program for 1986 Spring Meeting, (1) G4
- 1986 Statistics on original papers received, accepted, and published in

- RUBBER CHEMISTRY & TECHNOLOGY, (4) G98
- Symposia at future meetings, (1) G15; (2) G37; (3) G51; (4) G87; (5) G107
- Rubber industry, impact of the Hazards Communication Act (abstract), (4) 680
- Rubber processing, future (abstract), (1) 166
- Rubber processing equipment, trends (abstract), (1) 174
- Rubber products, computer-assisted design and manufacture (abstract), (1) 177
- Rubber-steel laminates, loaded in compression, predicting fatigue crack growth, (2) 208
- Salt corrosion, effect on brass-plated steel cord to rubber, (1) 1
- Scavenger mechanism, of antiozonant action, (2) 263
- Sealing mechanism, in oil seals for reciprocating motion (abstract), (4) 674
- , of rotary shaft lip-type seals (abstract), (4) 674
- Seals, compressed, stress-strain field, (5) 709
- Segments, of 2,4-toluene diisocyanate/butanediol in polyurethanes, structure-property relationships, (5) 896
- Sequence distribution, in SBR, measurements by ozonolysis-GPC, (1) 16
- Shape and size control, of extrudates from a single die roller, (5) 826
- Shear-free squeezing flow, in compression molding of elastomers, (5) 868
- Short-fiber-reinforced composites (review), (3) 384
- Silane, for moisture-curing, in one-shot extrusion process (abstract), (1) 166
- Silane-grafted ethylene-propylene elastomers (EPM), for cables, (5) 722
- Silica, effect of loading on viscoelastic properties of elastomers (abstract), (4) 675
- Silicas, precipitated, quantitative determination of morphology (abstract), (1) 177
- , —, with silane coupler, for tires (abstract), (4) 679
- Silicone gaskets, versatility and reliability (abstract), (1) 170
- Small strain behavior, of peroxide cross-linked natural rubber (NR), (1) 130
- Smoke reduction, in wire and cable insulation (abstract), (4), 677
- Soaps, natural higher fatty acid, in NR latex, (1) 84
- Software, for chemical and physical testing (abstract), (4) 689
- Soles, of athletic shoes, molding (abstract), (4) 684
- Solubility parameters, for estimating compatibility of hydraulic fluid and elastomer (abstract), (4) 673
- Sports safety goods (abstract), (4) 680
- Sports surfaces, test methods (abstract), (4) 684
- Steel cord, effect of salt corrosion on adhesion to rubber, (1) 1
- , for tires, life prediction (abstract), (1) 183
- , testing concepts for breaking loads (abstract), (1) 184
- Storage, effect on molecular weight in guayule rubber, (1) 123
- Strain-induced crystallization, of polybutadiene, (1) 40
- Strain rate, effect on fatigue crack propagation, (5) 809
- Strain-time correspondence principle, in gel-containing elastomers, (2) 305
- Stress-relaxation, of rubber in compression, (5) 765
- , chemical, of NR networks in swollen state, (4) 541
- Stress-strain field, in compressed elastomeric seals, (5) 709
- Stress waves, in human leg during gait (abstract), (4) 683
- Structure-property relationships, of segmented polyurethanes, (5) 896
- Styrene, compared with vinyl butadiene in tire tread polymers (abstract), (4) 675
- Styrene-ethylene/butylene-styrene block copolymers, modified with polysiloxanes (abstract), (4) 672
- Subscription service, for testing of polymers and rubber ingredients (abstract), (1) 168
- Sulfur-based vulcanizing agent, for tires (abstract), (1) 170
- Surfaces, artificial, for sports use (abstract), (4) 680
- , microscopic examination to probe failure (abstract), (4) 691
- Survey, of rubber ingredients (abstract), (1) 168
- Suspension bushing dynamics (abstract), (1) 169
- Swell tests, for identifying elastomer/hydraulic fluid compatibility (abstract), (4) 673
- Swelling, equilibrium, in fuels and lubricants, (1) 46
- , of SBR by aromatic oils, constant diffusion coefficient, (2) 233

- Swollen NR networks, chemical stress relaxation, (4) 541
- Synthetic rubber, worldwide outlook (abstract), (1) 171
- Tack, of elastomers, relationship with cohesive strength, (5) 883
- Temperature and oxidation, effect on fatigue crack propagation, (5) 809
- Temperature dependence, of viscoelasticity in black-filled rubbers, (4) 582
- Tennis balls, pressurized, use of low-permeability gas (abstract), (4) 681
- Tensile properties, of polyurethanes with nonpolar soft segments (review), (3) 405
- Tensile test, modified, for steel tire cords (abstract), (1) 184
- Testing, chemical and physical, software for (abstract), (4) 689
- , of polymers and compounding ingredients (abstract), (1) 168
- , of rubber products by a new measuring device, the Dynalizer (abstract), (1) 179
- Tetrafluoroethylene-propylene copolymer, with improved resistance to automotive media (abstract), (1) 163
- Textile reinforcing materials, in cord-rubber composites, visualization of, (4) 574
- Therban, oil- and heat-resistant rubber with nitrile side chains (abstract), (1) 181
- Thermal analysis, dynamic mechanical, of elastomer blends, (4) 623
- Thermoplastic elastomer, from alloy of PVC and NBR (abstract), (1) 182
- , melt-processable (abstract), (1) 166
- , oil-resistant (abstract), (1) 181
- Thermoplastic elastomers, blow molding (abstract), (4) 682
- , high-temperature, (4) 615
- , in transportation (abstract), (1) 163
- , review and forecast (abstract), (1) 172
- , segmented polyamides for, (4) 615
- Thiocarbamyl sulfenamide, with zinc dithiocarbamates, for vulcanization of NR, (1) 27
- Thiocarbamyl sulfenamide accelerators, for SBR, (2) 274
- Tire cords, hybrid, containing nylon or polyester and aramid (abstract), (4) 676
- , steel, life production (abstract), (1) 183
- Tire design and engineering, computer-assisted (abstract), (1) 176
- Tire footprint, empirical equations for predicting, (1) 155
- Tire industry, impact on consumption of rubber in U.S. (abstract), (1) 171
- Tire manufacturing, computer-controlled (abstract), (4) 686
- , computer-integrated (abstract), (4) 685
- , control of weight data by microprocessor (abstract), (4) 686
- , electron beam radiation in (review), (3) 482
- , product liability (abstract), (4) 690
- Tire performance, improved with solution-type SBR (abstract), (4) 676
- Tire treads, comparison of styrene with vinyl butadiene in polymer (abstract), (4) 675
- Tires, curing, by microwave preheating (abstract), (1) 172
- , —, overview (abstract), (1) 170
- , —, with hydraulic press with sequence timer (abstract), (1) 172
- , earthmover, with hybrid aramid/nylon cords (abstract), (4) 676
- , fatigue and ozone crack-growth in sidewalls, study (abstract), (1) 176
- , improved performance by use of silica and silane coupling agent (abstract), (4) 679
- , requirements from car manufacturer's viewpoint (abstract), (1) 184
- , U.S. markets (abstract), (1) 173
- , vulcanizing agent for (abstract), (1) 170
- 2,4-toluene diisocyanate/butanediol hard segments, in polyurethanes, (5) 896
- Torsion, small deformation of peroxide crosslinked NR in (1) 130
- Transparent, biocompatible thermoplastic elastomers from polysiloxane-modified block copolymers (abstract), (4) 672
- Transportation uses, of thermoplastic elastomers (abstract), (1) 163
- Tread compounds, dynamic tests to measure effect of compound changes (abstract), (1) 178
- Treadwear ratings, of black-reinforced rubber, from laboratory tests (review), (3) 497
- Turbidimetric method, for rapid analysis of guayule rubber, (2) 204
- Vibration control systems, effect of cure systems and reinforcing fillers on chlorobutyl elastomers (CIIR) for, (1) 103
- Vinyl butadiene, compared with styrene in tire tread polymers (abstract), (4) 675
- Viscoelastic effect, in compression molding of elastomers, (5) 868
- Viscoelastic properties, of black-filled rubbers, dependence on temperature, (4) 592

- Viscosity, elongational, measured with extensional rheometer, (4) 564
- Vulcanizates, identification of organic additives in by mass spectrometry (abstract), (4) 671
- Vulcanization, of NR, effect of cyclohexyl thiophthalimide on acceleration with thiocarbamyl sulfenamide-dibenzothiazyl systems, (4) 525
- , of *cis*-1,4-polybutadiene, effect of cure variables on *cis/trans* isomerization, (4) 666
- , of NR, using zinc dithiocarbamates, (1) 27
- Water permeation, through SBR/EPDM laminate, (5) 779
- Weight data, in process control, by microprocessor (abstract), (4) 686
- Wire, insulation by ethylene-propylene thermoplastic (abstract), (4) 683
- Wire and cable industry, a profile (abstract), (4) 676
- Wire and cable insulation, smoke reduction (abstract), (4) 677
- Zinc dithiocarbamates, effect on NR vulcanization, (1) 27